

IN THE UNITED STATES PATENT AND TRADEMARK OFFICEPATENTS

Inventor: Ronald A. Katz)
Patent No.: 5,259,023)
Issued: November 2, 1993)
For: TELEPHONIC-INTERFACE)
STATISTICAL ANALYSIS SYSTEM)
Docket No.: 9002-1B678US1)
(prev. 6646-101NB))

REQUEST FOR CERTIFICATE OF CORRECTION

707 Wilshire Blvd., 32nd Floor
Los Angeles, CA 90017
September 20, 1996

Assistant Commissioner
for Patents
Washington, D. C. 20231

Sir:

As a result of subsequent considerations of the above-identified patent, it has been discovered that errors occurred which are believed attributable to the U.S. Patent and Trademark Office. It is respectfully requested that a Certificate of Correction be issued for those errors and one other inadvertent errors noted by Applicant.

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Assistant Commissioner for Patents, Washington, D. C. 20231.

Date:

Sep. 20, 1996
Andrea Thomas

Andrea Thomas

All the errors noted to date are shown on the enclosed form PTO 1050.


It is believed that the issuance of a Certificate of Correction is necessary to correct these errors. However, if the U.S. Patent and Trademark Office rules that a Certificate of Correction is not required, it is requested that this letter be entered into the patent file and the patentees so notified.

In the event the U.S. Patent and Trademark Office determines that the fee set forth under 37 C.F.R. § 1.20(a) in the amount of \$100 is required, please charge it to Deposit Account No. 04-0100.

Please charge any additional fees or credit any overpayment to Deposit Account No. 04-0100.

Respectfully submitted,

By:


Reena Kuyper
Registration No. 33,830

DARBY & DARBY P.C.
707 Wilshire Blvd., 32nd Floor
Los Angeles, California 90017
(213) 243-8000
Our Docket No. 9002-1B678US1
(prev. 6646-101NB)

6646\101NB\request.CER

PATENTSIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor: Ronald A. Katz)
Patent No.: 5,259,023)
Issued: November 2, 1993)
For: TELEPHONIC-INTERFACE)
STATISTICAL ANALYSIS SYSTEM)
Docket No.: 9002-1B678US1)
(prev. 6646-101NB))

NOTICE OF FIRM MERGER

707 Wilshire Blvd., 32nd Floor
Los Angeles, CA 90017
September 20, 1996

07500004 400304
Assistant Commissioner
for Patents
Washington, DC 20231

Sir:

Please be advised that in view of the merger between the
following firms:

NILSSON, WURST & GREEN
707 Wilshire Blvd., Suite 3200
Los Angeles, California 90017
Tel: (213) 243-8000
Fax: (213) 243-8050

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Assistant Commissioner for Patents, Washington, D. C. 20231.

Date:

Sep. 20, 1996

Andrea Thomas

Andrea Thomas


and

DARBY & DARBY P.C.
805 - 3rd Avenue
New York, N.Y. 10022
Tel: (212) 527-7700
Fax: (212) 753-6237

effective January 1, 1996, the following persons previously practicing with the firm of NILSSON, WURST & GREEN: Byard G. Nilsson, Reg. No. 17,350; Harold E. Wurst, Reg. No. 22,183; Robert A. Green, Reg. No. 28,301; Clarke A. Wixon, Reg. No. 39,878; Stephen D. Burbach, Reg. No. 40,285; and John Wurst, Reg. No. 40,283, all members of the bar of one or more states, and Reena Kuyper, Patent Agent, Reg. No. 33,830, are now practicing at the Los Angeles office of DARBY & DARBY P.C. at the same address, with the same telephone and facsimile numbers.

Please continue to forward all correspondence, notices of maintenance fees due, etc., for the above-identified case to the Los Angeles address of the undersigned as shown above.

Respectfully submitted,

By: 
Reena Kuyper
Registration No. 33,830

DARBY & DARBY P.C.
707 Wilshire Blvd., 32nd Floor
Los Angeles, CA 90017
(213) 243-8000

Docket No.: 9002-1B678US1
(prev. 6646-101NB)

6646\101nb\firmmerg

RONALD A. KATZ TECHNOLOGY LICENSING, L.P.

9220 Sunset Blvd., Suite 315
Los Angeles, CA 90069
(310) 247-8191
fax (310) 247-8091

TELEFAX TRANSMITTAL COVER SHEET

DATE: December 11, 2002

TIME: 9:55 AM

NUMBER OF PAGES INCLUDING THIS COVER SHEET: 7 pages

PLEASE DELIVER TO: Antonio Johnson
U.S. Patent and Trademark Office
Certificates of Correction – Patents

RE: 5,259,023

FAX: 703-308-6672

FROM: Deanne Dale, Assistant to
Recna Kuyper, Reg. No. 33,830

CONTACT: Deanne Dale **IF ALL PAGES ARE NOT RECEIVED**
(310) 247-2860

NOTES: Please deliver the enclosed immediately to:
Mr. Antonio Johnson, Certificates of Correction – Patents

Dear Mr. Johnson,

I spoke with you by phone this morning regarding a request for Certificate of Correction, regarding the above-referenced patent number, which was mailed September 20, 1996. We do not have a response to this request in our file. Attached is a copy of the 1996 request, as well as a separate unrelated document which originally accompanied it.

Please let us know whether the PTO in fact received this request for a Certificate of Correction. If so, and if there is a response to the request in your files, we would be grateful for a copy of that response.

Thank you,

Deanne Dale

LAWYER/CLIENT PRIVILEGED COMMUNICATION

ap
rc
hy

PRINTER'S TRIM

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. 5,259,023

DATED November 2, 1993

INVENTOR(S) Ronald A. Katz

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3, line 24, after "interfac" insert

--e the st--;

Column 5, line 60, after "Tn" insert --)--;

Column 11, line 42, change "mailorder" to
--mail-order--"

Column 12, line 23, change "mailorder" to
--mail-order--"

Column 12, line 63, change "uate" to --ate--, so as to
read "actuate";

Column 17, line 15, change "CN" to --Cn--;

Column 18, line 30, after "uses/" delete the dash;

Column 19, line 55, change "MSI" to --MS1--;

Column 20, line 14, change "MSI" to --MS1--;


Column 21, line 15, after "20" insert --)--;

MAILING ADDRESS OF SENDER:

DARBY & DARBY P.C.
707 Wilshire Blvd., Suite 3200
Los Angeles, California 90017

PATENT NO. 5,259,023

No. of add'l copies
@ 50¢ per page



Staple
here
Only!

PRINTER'S TRIM L

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. 5,259,023

DATED November 2, 1993

INVENTOR(S) Ronald A. Katz

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 22, line 9, change "explanation" to
--expiration--;

Column 24, line 6, change "to" to --a--;

Column 24, line 40, change "mean" to --means--;

Column 25, line 28, change "caller" to --callers--;

Column 25, line 61, change "including" to --includes--;

MAILING ADDRESS OF SENDER:

DARBY & DARBY P.C.
707 Wilshire Blvd., Suite 3200
Los Angeles, California 90017

PATENT NO.

5,259,023

No. of add'l copies
② 50¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE

~~CERTIFICATE~~ **CERTIFICATE OF CORRECTION**

PATENT NO. : 5,259,023
DATED : November 2, 1993
INVENTOR(S) : Ronald A. Katz

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3,

Line 24, after "interfac" insert -- e the st --;

Column 5,

Line 60, after "Tn" insert --) --;

Column 11,

Line 42, change "mailorder" to -- mail-order --;

Column 12,

Line 23, change "mailorder" to -- mail-order --;

Line 63, change "uate" to -- ate --, so as to read "actuate";

Column 17,

Line 15, change "CN" to -- Cn --;

Column 18,

Line 30, after "uses/" delete the dash;

Column 19,

Line 55, change "MSI" to -- MS1 --;

Column 20,

Line 14, change "MSI" to -- MS1 --;

Column 21,

Line 15, after "20" insert --) --;

Column 22,

Line 9, change "explanation" to -- expiration --;

Column 24,

Line 6, change "to" to -- a --;

Line 40, change "mean" to -- means --;

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 5,259,023
DATED : November 2, 1993
INVENTOR(S) : Ronald A. Katz

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 25,


Line 28, change "caller" to -- callers --;

Line 61, change "including" to -- includes --;

1688-430000

Signed and Sealed this

Eleventh Day of February, 2003

A handwritten signature in black ink, appearing to read "James E. Rogan", with a horizontal line drawn underneath it.

JAMES E. ROGAN
Director of the United States Patent and Trademark Office